Table of contents

Aastveit AH, Aastveit K: Theory and application of open-pollination and polycross in forage grass breeding 618
Aastveit K → Aastveit AH
Albertsen M → Fauron CM-R
Altosaar I → Fabijanski S
Anamthawat-Jónsson K, Schwarzacher T, Leitch AR, Bennett MD, Heslop-Harrison JS: Discrimination between closely related *Triticeae* species using genomic DNA as a probe 721
Andreo CS → Köhler F
Armstrong K → Fabijanski S
Armstrong KC: Cytology of F_1 hybrids and chromosome number of F_2 and BC_1 progeny of the cross *Bromus riparius* × *B. inermis* 137
Arya AS, Narain P: Asymptotically efficient partial diallel crosses 849
Asiedu R, Fisher JM, Driscoll CJ: Resistance to *Heterodera avenae* in the rye genome of triticale 331
Asiedu R → Hahn SK
Aslam KM: Genetic elements inducing gene changes at the *pallida* locus of *Antirrhinum majus* 475
Auger JA → Lane Rayburn A
Autran JC → Bernard M
Aviv D → Perl A
Ax RL → Cowan CM
Axtell JD → Cai T

Baba T → Kumagai T
Bai KV → Hahn SK
Baker RJ → Yang R-C
Baltazar BM, Scharen AL, Kronstad WE: Association between dwarfing genes 'Rht_1' and 'Rht_2' and resistance to *Septoria tritici* Blotch in winter wheat (*Triticum aestivum* L. em Thell) 422
Basford KE, Kroonenberg PM, DeLacy IH, Lawrence PK: Multiattribute evaluation of regional cotton variety trials 225
Bekkaoui F, Datla RSS, Pilon M, Tautorus TE, Crosby WL, Dunstan DI: The effects of promoter on transient expression in conifer cell lines 353
Benediktsson I → Köhler F
Benito C, Frade JM, Orellana J, Carrillo JM: Linkage and cytogenetic maps of genes controlling endosperm storage proteins and isozymes in rye (*Secale cereale* L.) 347
Benito C, Gallego FJ, Frade JM, Zaragoza C, Figueiras AM: Chromosomal location of adenylate kinase isozymes in Triticeae species 157
Bennett MD → Anamthawat-Jónsson K
Bernard M, Bernard S, Joudrier P, Autran JC: Biochemical characterization of lines descended from 8x triticale × 4x triticale cross 646
Bernard S → Bernard M
Bidinger FR, Raju DS: Effects of the d_2 dwarfing gene in pearl millet 521
Bietz JA → Paulis JW
Binns AM → Timmis JN
Birkes D → Knapp SJ
Bogyo TP → Paulis JW
Bonnett HT, Glimelius K: Cybrids of *Nicotiana tabacum* and *Petunia hybrida* have an intergeneric mixture of chloroplasts from *P. hybrida* and mitochondria identical or similar to *N. tabacum* 550
Bonnett HT → Kofer W
Bouchez A, Goffinet B: Evaluation of selection index: application to the choice of an indirect multitrait selection index for soybean breeding 261
Bournival BL, Vallejos CE, Scott JW: Genetic analysis of resistances to races 1 and 2 of *Fusarium oxysporum* f. sp. *lycopersici* from the wild tomato *Lycopersicon pennellii* 641
Brettell RIS → Fauron CM-R
Bridges WC → Knapp SJ
Bridges WC → Linde DC
Brown AHD, Burdon JJ, Grace JP: Genetic structure of *Glycine canescens*, a perennial relative of soybean 729
Bürger R → Leach CR
Bürger R → Mayo O
Burdon JJ → Brown AHD
Burdon RD: Implications of non-linear economic weights for breeding 65
Burnside EB → Gomez-Raya L
Butler LG → Cai T

Cai T, Ejeta G, Axtell JD, Butler LG: Somaclonal variation in high tannin sorghums 737
Candela M → Figueiras AM
Cardon G → Köhler F
Carrillo JM, Rousset M, Qualset CO, Kasarda DD: Use of recombinant inbred lines of wheat for study of associations of high-molecular-weight glutenin subunit alleles to quantitative traits. 1. Grain yield and quality prediction tests 321
Carrillo JM → Benito C
Carroll BJ → Mathews A
Cauderon Y → Ouhmidou B
Champigny M-L → Ouhmidou B
Chao S → Liu CJ
Chatterjee G → Sikdar SR
Cherel I → Ouhmidou B
Chopra VL → Prakash S
Christiansen SK, Giese H: Genetic analysis of the obligate parasitic barley powdery mildew fungus based on RFLP and virulence loci 705
Christiansen SK → Giese H
Christou P, Swain WF: Cotransformation frequencies of foreign genes in soybean cell cultures 337
Clapham D, Ekberg I, Eriksson G, Hood EE, Norell L: Within-population variation in susceptibility to *Agrobacterium tumefaciens* A281 in *Picea abies* (L.) Karst 654
Cocking EC → Saleh NM
Colleau JJ → Verrier E
Comeau A → Plourde A
Cordesse F, Second G, Delseny M: Ribosomal gene spacer length variability in cultivated and wild rice species 81
Cowan CM, Dentine MR, Ax RL, Schuler LA: Structural variation around prolactin gene linked to quantitative traits in an elite Holstein sire family 577
Cowan CM → Dentine MR
Cox TS, Murphy JP: The effect of parental divergence on F_2 heterosis in winter wheat crosses 241
Crosby WL → Bekkaoui F
Crowther TC → Werner CP

Dahleen LS, Eizenga GC: Meiotic and isozymic characterization of plants regenerated from euploid and selfed monosomic tall fescue embryos 39
Daines RJ → Spencer TM
Darrah LL → Paulis JW
Das S → Sikdar SR
Datla RSS → Bekkaoui F
Debener T, Salamini F, Gebhardt C: Phylogeny of wild and cultivated *Solanum* species based on nuclear restriction fragment length polymorphisms (RFLPs) 360
DeLacy IH → Basford KE
Delseny M → Cordesse F
Dentine MR, Cowan CM: An analytical model for the estimation of chromosome substitution effects in the offspring of individuals heterozygous at a segregating marker locus 775
Dentine MR → Cowan CM
Dhaliwal HS, Friebe B, Gill KS, Gill BS: Cytogenetic identification of *Aegilops squarrosa* chromosome additions in durum wheat 769
Dhar MK, Koul AK, Langer A: Genetic diversity among Plantagos. 17. A novel trisomic in *Plantago lagopus* 216
Diedrick TJ, Frisch DA, Gengenbach BG: Tissue culture isolation of a second mutant locus for increased threonine accumulation in maize 209
Diers BW → Keim P
Dowker BD → Werner CP
Doyle GG: The allotetraploidization of maize. 5. The utilization of zygomeres 145
Driscoll CJ → Asiedu R
Dudareva NA, Veprev SG, Popovsky AV, Maletsky SI, Gileva IP, Salganik RI: High-rate spontaneous reversion

to cytoplasmic male sterility in sugar beet: a characterization of the mitochondrial genomes 817
Dumas C → Wagner VT
Dunstan DI → Bekkaoui F

Eagles HA, Hardacre AK: Genetic changes from introgression of highland Mexican germ plasm into a Corn Belt Dent population of maize 543
Ecke W, Michaelis G: Comparison of chloroplast and mitochondrial DNA from five morphologically distinct *Beta vulgaris* cultivars: sugar beet, fodder beet, beet root, foliage beet, and Swiss chard 440
Eden J van → Sybenga J
Eizenga GC → Dahleen LS
Ejeta G → Cai T
Ekberg I → Clapham D
El-Zik KM → Wallace TP
Engler D → Fejes E
Eriksson G → Clapham D

Fabijanski S, Fedak G, Armstrong K, Altosaar I: A repeated sequence probe for the C genome in *Avena* (Oats) 1
Famelaer I, Negrutiu I, Mouras A, Vaucheret H, Jacobs M: Asymmetry hybridization in *Nicotiana* by "gamma fusion" and progeny analysis of self-fertile hybrids 513
Famula TR: The equivalence of two linear methods for the improvement of traits expressed as ratios 853
Famula TR, Van Vleck LD: Estimation of heritability and genetic trend in populations at a physiological limit 699
Fauron CM-R, Havlik M, Hafezi S, Brettell RIS, Albertsen M: Study of two different recombination events in maize cms T-regenerated plants during reversion to fertility 593
Fedak G → Fabijanski S
Fedak G → Plourde A
Fejes E, Engler D, Maliga P: Extensive homologous chloroplast DNA recombination in the pt14 *Nicotiana* somatic hybrid 28
Figueiras AM, González-Jaén MT, Candela M: Chromosomal identification and meiotic behavior of reciprocal translocations in a rye polymorphic population. Evolutionary implications 686
Figueiras AM → Benito C
Finch RP → Saleh NM
Fischer F → Jung C
Fisher JM → Asiedu R
Flowers SA → Yeo AR
Flowers TJ → Yeo AR
Foroughi-Wehr B, Zeller FJ: In vitro microspore reaction of different German wheat cultivars 77
Foulley JL → Verrier E
Frade JM → Benito C
Friebe B, Hatchett JH, Sears RG, Gill BS: Transfer of Hessian fly resistance from 'Chaupon' rye to hexaploid wheat via a *2BS/2RL* wheat-rye chromosome translocation 385
Friebe B → Dhaliwal HS
Frisch DA → Diedrick TJ

Gale MD → Liu CJ
Gale MD → Petchey EM
Gale MD → Pinthus MJ
Gallais A: Theoretical determination of the optimum number of parents for synthetics 417
Gallego FJ → Benito C
Galun E → Perl A
Garcia C, Toro MA: Individual and group selection for productivity in *Tribolium castaneum* 256
Gardner CO → Rocheford TR
Gauch HG Jr, Zobel RW: Imputing missing yield trial data 753
Gebhardt C → Debener T
Gengenbach BG → Diedrick TJ
Giese H, Christiansen SK, Jensen HP: Extrachromosomal plasmid-like DNA in the obligate parasitic fungus *Erysiphe graminis* f.sp. *hordei* 56
Giese H → Christiansen SK
Gileva IP → Dudareva NA
Gill BS → Dhaliwal HS
Gill BS → Friebe B
Gill KS → Dhaliwal HS
Glimelius K → Bonnett HT
Glimelius K → Kofer W
Goffinet B → Bouchez A
Gomez-Raya L, Burnside EB: The effect of repeated cycles of selection on genetic variance, heritability, and response 568
González-Jaén MT → Figueiras AM
Gordon-Kamm WJ → Spencer TM
Grace JP → Brown AHD
Gravois KA, Milligan SB, Martin FA: The role of pith, tube, and stalk density in determining sugarcane sucrose content and stalk weight 273
Gresshoff PM → Mathews A
Groose RW, Schulte SM, Palmer RG: Germinal reversion of an unstable mutation for anthocyanin pigmentation in soybean 161
Gupta HS → Saleh NM

Hafezi S → Fauron CM-R
Hahn SK, Bai KV, Asiedu R: Tetraploids, triploids, and 2n pollen from diploid interspecific crosses with cassava 433
Hall RD → Krens FA
Hancock JF → Krebs SL
Hanna WW: Long-term storage of *Pennisetum glaucum* (L.) R. Br. pollen 605
Hardacre AK → Eagles HA
Hatchett JH → Friebe B
Havlik M → Fauron CM-R
Heino P, Sandman G, Lång V, Nordin K, Palva ET: Abscisic acid deficiency prevents development of freezing tolerance in *Arabidopsis thaliana* (L.) Heynh. 801
Hepburn AG → Menancio DI
Herrmann RG → Jung C
Heslop-Harrison JS → Anamthawat-Jónsson K
Hill J: The three C's – competition, coexistence and coevolution – and their impact on the breeding of forage crop mixture 168
Hood EE → Clapham D
Hu L → Wang B
Hymowitz T → Menancio DI

Iwanaga M → Kumagai T

Jacobs M → Famelaer I
Jamar D → Krens FA
Jardin P du: Homologies to plastid DNA in the nuclear and mitochondrial genomes of potato 807
Jensen HP → Giese H
Johnson LB → Masoud SA
Joudrier P → Bernard M
Jung C, Kleine M, Fischer F, Herrmann RG: Analysis of DNA from a *Beta procumbens* chromosome fragment in sugar beet carrying a gene for nematode resistance 663
Junghans H → Schmidt T

Karron JD, Marshall DL, Oliveras DM: Numbers of sporophytic self-incompatibility alleles in populations of wild radish 457
Kasarda DD → Carrillo JM
Kearsey MJ → Werner CP
Keim P, Diers BW, Shoemaker RC: Genetic analysis of soybean hard seededness with molecular markers 465
Kidambi SP, Mahan JR, Matches AG: Interspecific variation for thermal dependence of glutathione reductase in sainfoin 600
Kimber G → Yen Y
Kinzer SM, Schwager SJ, Mutschler MA: Mapping of ripening-related or -specific cDNA clones of tomato (*Lycopersicon esculentum*) 489
Kleine M → Jung C
Knapp SJ, Bridges WC, Birkes D: Mapping quantitative trait loci using molecular marker linkage maps 583
Koebner RMD → Petchey EM
Köhler F, Benediktsson I, Cardon G, Andreo CS, Schieder O: Effect of various irradiation treatments of plant protoplasts on the transformation rates after direct gene transfer 679
Kofer W, Glimelius K, Bonnett HT: Modifications of floral development in tobacco induced by fusion of protoplasts of different malesterile cultivars 97

Koul AK → Dhar MK
Krebs SL, Hancock JF: Early-acting inbreeding depression and reproductive success in the highbush blueberry, *Vaccinium corymbosum* L. 825
Krens FA, Jamar D, Rouwendal GJA, Hall RD: Transfer of cytoplasm from new *Beta* CMS sources to sugar beet by asymmetric fusion. 1. Shoot regeneration from mesophyll protoplasts and characterization of regenerated plants 390
Kronstad WE → Baltazar BM
Kroonenberg PM → Basford KE
Kumagai T, Umemura Y, Baba T, Iwanaga M: The inheritance of β-amylase null in storage roots of sweet potato, *Ipomoea batatas* (L.) Lam. 369
Kumar A, Rai KS: Intraspecific variation in nuclear DNA content among world populations of a mosquito, *Aedes albopictus* (Skuse) 748

Lambeth CC → Loo-Dinkins JA
Lane Rayburn A, Auger JA: Genome size variation in *Zea mays* ssp. *mays* adapted to different altitudes 470
Lång V → Heino P
Langer A → Dhar MK
Laurie DA, Snape JW: The agronomic performance of wheat doubled haploid lines derived from wheat × maize crosses 813
Lawrence PK → Basford KE
Leach CR, Mayo O, Bürger R: Quantitatively determined self-incompatibility. 2. Outcrossing in *Borago officinalis* 427
Lech CR → Mayo O
Leitch AR → Anamthawat-Jónsson K
Lemaux PG → Spencer TM
Lemieux B, Turmel M, Lemieux C: Recombination of *Chlamydomonas* chloroplast DNA occurs more frequently in the large inverted repeat sequence than in the single-copy regions 17
Lemieux C → Lemieux B
Li YN → Wang B
Lilley GG → Rapp WD
Lin CY → Nagai J
Linde DC, Bridges WC, Rhodes BB: Inheritance of resistance in cucumber to race 2 of *Colletotrichum lagenarium* 13
Link W: Autofertility and rate of cross-fertilization: crucial characters for breeding synthetic varieties in faba beans (*Vicia faba* L.) 713
Liu CJ, Chao S, Gale MD: The genetical control of tissue-specific peroxidases, *Per-1, Per-2, Per-3, Per-4,* and *Per-5* in wheat 305
Liu CJ, Gale MD: *Est-7,* a set of genes controlling green tissue esterases in wheat and related species 781
Loo-Dinkins JA, Tauer CG, Lambeth CC: Selection system efficiencies for computer simulated progeny test field designs in loblolly pine 89
Lu D → Redway FA

Magnussen S: Selection index: economic weights for maximum simultaneous genetic gain 289
Mahan JR → Kidambi SP
Maletsky SI → Dudareva NA
Maliga P → Fejes E
Mangum PD → Peffley EB
Marais AS → Marais GF
Marais GF, Marais AS: The assignment of a *Thinopyrum distichum* (Thunb.) Löve-derived translocation to the long arm of wheat chromosome *7D* using endopeptidase polymorphism 182
Marshall DL → Karron JD
Martin FA → Gravois KA
Masoud SA, Johnson LB, Sorensen EL: High transmission of paternal plastid DNA in alfalfa plants demonstrated by restriction fragment polymorphic analysis 49
Matches AG → Kidambi SP
Mathews A, Carroll BJ, Gresshoff PM: The genetic interaction between non-nodulation and supernodulation in soybean: an example of developmental epistasis 125
Mayo GME → Timmis JN
Mayo MJ → Timmis JN
Mayo O, Bürger R, Leach CR: The heritability of fitness: some single gene models 278
Mayo O → Leach CR
McIntosh RA → Singh RP
Melzer JM, O'Connell MA: Molecular analysis of the extent of asymmetry in two asymmetric somatic hybrids of tomato 193
Menancio DI, Hepburn AG, Hymowitz T: Restriction fragment length polymorphism (RFLP) of wild perennial relatives of soybean 235
Metzlaff M → Schmidt T
Michaelis G → Ecke W
Milligan SB → Gravois KA
Moav R → Wohlfarth GW
Mogensen HL → Wagner VT
Molina MC → Poggio L
Moruppa SM: Energy expenditure and locomotor activity in mice selected for food intake adjusted for body weight 131
Mouras A → Famelaer I
Mulligan BJ → Saleh NM
Murphy JP → Cox TS
Mutschler MA → Kinzer SM

Nagai J, Lin CY, Sasada H: Selection for increased length of reproductive life in mice 268
Namkoong G → Roberds JH
Narain P → Arya AS
Naranjo CA → Poggio L
Naranjo T: Chromosome structure of durum wheat 397
Negrutiu I → Famelaer I
Nielsen NC → Rapp WD
Nordin K → Heino P
Norell L → Clapham D
Nybom H, Rogstad SH, Schaal BA: Genetic variation detected by use of the M13 "DNA fingerprint" probe in *Malus, Prunus,* and *Rubus* (Rosaceae) 153
Nybom H, Schaal BA: DNA "fingerprints" applied to paternity analysis in apples (*Malus* × *domestica*) 763

Ockendon DJ → Phippen C
O'Connell MA → Melzer JM
Oliveras DM → Karron JD
Orellana J → Benito C
Osborn TC → Song K
Osterman JC → Rocheford TR
Ouhmidou B, Cauderon Y, Cherel I, Champigny M-L: Nitrate reductases in hexaploid and tetraploid wheats and *Aegilops* 8

Palmer RG → Groose RW
Palva ET → Heino P
Parmar S → Sybenga J
Paulis JW, Bietz JA, Bogyo TP, Darrah LL, Zuber MS: Expression of alcohol-soluble endosperm proteins in maize single and double mutants 314
Peffley EB, Mangum PD: Introgression of *Allium fistulosum* L. into *Allium cepa* L.: cytogenetic evidence 113
Percy RG, Wendel JF: Allozyme evidence for the origin and diversification of *Gossypium barbadense* L. 529
Perez de la Vega M → Rebordinos L
Perl A, Aviv D, Galun E: Protoplast-fusion-derived *Solanum* cybrids: application and phylogenetic limitations 632
Petchey EM, Koebner RMD, Gale MD: Genetic characterisation of a further homoeoallelic series of grain esterase loci, *Est-6,* in wheat 294
Peterson PA → Scheffler BE
Phippen C, Ockendon DJ: Genotype, plant, bud size and media factors affecting anther culture of cauliflowers (*Brassica oleracea* var. *botrytis*) 33
Pilon M → Bekkaoui F
Pinthus MJ, Gale MD: The effects of 'gibberellin-insensitive' dwarfing alleles in wheat on grain weight and protein content 108
Plourde A, Fedak G, St-Pierre CA, Comeau A: A novel intergeneric hybrid in the Triticeae: *Triticum aestivum* × *Psathyrostachys juncea* 45
Poggio L, Molina MC, Naranjo CA: Cytogenetic studies in the genus *Zea*. 2. Colchicine-induced multivalents 461
Popovsky AV → Dudareva NA
Poysa V: The development of bridge lines for interspecific gene transfer between *Lycopersicon esculentum* and *L. peruvianum* 187

Prakash S, Chopra VL: Male sterility caused by cytoplasm of *Brassica oxyrrhina* in *B. campestris* and *B. juncea* 285
Prevosti A → Quintana A

Qualset CO → Carrillo JM
Quintana A, Prevosti A: Genetic and environmental factors in the resistance of *Drosophila subobscura* adults to high temperature shock. 1. Breeding temperature and crowding 103

Rai KS → Kumar A
Raju DS → Bidinger FR
Ramagopal S: Protein polymorphism in sugarcane revealed by two-dimensional gel analysis 297
Rapp WD, Lilley GG, Nielsen NC: Characterization of soybean vegetative storage proteins and genes 785
Rebordinos L, Perez de la Vega M: Genetic variability of leaf esterases in *Triticum aestivum* L. 2n = 6x = 42 673
Redway FA, Vasil V, Lu D, Vasil IK: Identification of callus types for long-term maintenance and regeneration from commercial cultivars of wheat (*Triticum aestivum* L.) 609
Rhodes BB → Linde DC
Roberds JH, Namkoong G, Skrøppa T: Genetic analysis of risk in clonal populations of forest trees 841
Rocheford TR, Osterman JC, Gardner CO: Variation in the ribosomal DNA intergenic spacer of a maize population mass-selected for high grain yield 793
Rogstad SH → Nybom H
Rousset M → Carrillo JM
Rouwendal GJA → Krens FA

Salamini F → Debener T
Saleh NM, Gupta HS, Finch RP, Cocking EC, Mulligan BJ: Stability of mitochondrial DNA in tissue-cultured cells of rice 342
Salganik RI → Dudareva NA
Sandman G → Heino P
Sasada H → Nagai J
Schaal BA → Nybom H
Scharen AL → Baltazar BM
Scheffler BE, Peterson PA: Somatic Mutator activity expression is dependent on the strength of *Cy* trans-active signals in maize 449
Schieder O → Köhler F
Schmidt T, Junghans H, Metzlaff M: Construction of *Beta procumbens*-specific DNA probes and their application for the screening of *B. vulgaris* × *B. procumbens* (2 n = 19) addition lines 177
Schuler LA → Cowan CM
Schulte SM → Groose RW
Schwager SJ → Kinzer SM
Schwarzacher T → Anamthawat-Jónsson K
Scott JW → Bournival BL
Sears RG → Friebe B
Second G → Cordesse F
Sen SK → Sikdar SR
Shewry P → Sybenga J
Shoemaker RC → Keim P
Sikdar SR, Chatterjee G, Das S, Sen SK: *"Erussica"*, the intergeneric fertile somatic hybrid developed through protoplast fusion between *Eruca sativa* Lam. and *Brassica juncea* (L.) Czern. 561
Singh RP, McIntosh RA: Genetics of resistance to *Puccinia graminis tritici* and *Puccinia recondita tritici* in four South African wheats 401
Skrøppa T → Roberds JH
Snape JW → Laurie DA
Song K, Osborn TC, Williams PH: *Brassica* taxonomy based on nuclear restriction fragment length polymorphisms (RFLPs). 3. Genome relationships in *Brassica* and related genera and the origin of *B. oleracea* and *B. rapa* (syn. *campestris*) 497
Sorensen EL → Masoud SA
Spencer TM, Gordon-Kamm WJ, Daines RJ, Start WG, Lemaux PG: Bialaphos selection of stable transformants from maize cell culture 625
St-Pierre CA → Plourde A
Start WG → Spencer TM
Swain WF → Christou P
Sybenga J, Parmar S, Eden J van, Shewry P: Mapping seed storage protein loci *Sec-1* and *Sec-3* in relation to five chromosomal rearrangements in rye (*Secale cereale* L.) 201

Tauer CG → Loo-Dinkins JA
Tautorus TE → Bekkaoui F
Timmis JN, Whisson DL, Binns AM, Mayo MJ, Mayo GME: Deletion mutation as a means of isolating avirulence genes in flax rust 411
Toro MA → Garcia C
Turmel M → Lemieux B

Umemura Y → Kumagai T

Vallejos CE → Bournival BL
Van Vleck LD → Famula TR
Vasil IK → Redway FA
Vasil V → Redway FA
Vaucheret H → Famelaer I
Veprev SG → Dudareva NA
Verrier E, Colleau JJ, Foulley JL: Predicting cumulated response to directional selection in finite panmictic populations 833

Wagner VT, Dumas C, Mogensen HL: Quantitative three-dimensional study on the position of the female gametophyte and its constituent cells as a prerequisite for corn (*Zea mays*) transformation 72
Wallace TP, El-Zik KM: Quantitative analysis of resistance in cotton to three new isolates of the bacterial blight pathogen 443
Wang B, Li YN, Zhang XW, Hu L, Wang JZ: Double-stranded RNA and male sterility in rice 556
Wang JZ → Wang B
Wendel JF → Percy RG
Werner CP, Kearsey MJ, Crowther TC, Dowker BD: Prediction of the performance of inbred lines derived from a population cross in autumn-sown onions (*Allium cepa* L.) 507
Whisson DL → Timmis JN
White EE: Chloroplast DNA in *Pinus monticola*. 1. Physical map 119
White EE: Chloroplast DNA in *Pinus monticola*. 2. Survey of within-species variability and detection of heteroplasmic individuals 251
Williams PH → Song K
Wohlfarth GW, Moav R: Genetic differences between the Chinese and European races of the common carp. 6. Growth of fish in cages 693
Wolff K: Genetic analysis of ecologically relevant morphological variability in *Plantago lanceolata* L. 5. Diallel analysis of two natural populations 481

Yang R-C, Baker RJ: Effects of epistasis on tests for linkage in self-pollinated species 219
Yen Y, Kimber G: Production and meiotic analysis of autotriploid *Triticum speltoides* and *T. bicorne* 525
Yeo AR, Yeo ME, Flowers SA, Flowers TJ: Screening of rice (*Oryza sativa* L.) genotypes for physiological characters contributing to salinity resistance, and their relationship to overall performance 377
Yeo ME → Yeo AR
Yoder JI: A genetic analysis of mutations recovered from tomato following *Agrobacterium*-mediated transformation with the maize transposable elements *Activator* and *Dissociation* 657

Zaragoza C → Benito C
Zeller FJ → Foroughi-Wehr B
Zhang XW → Wang B
Zobel RW → Gauch HG Jr
Zuber MS → Paulis JW

Book reviews 143, 144, 288, 431, 432, 575, 576, 718, 719, 720, 762

Erratum 720

Table of contents Vol. 79 (1990)

Indexed in *Current Contents*

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

T. Adams (Corvallis, USA)
D. Bartels (Köln, FRG)
M. Brown (Houma, USA)
B. Charlesworth (Chicago, USA)
T. Checheneva (Kiev, USSR)
J. M. Cheverud (St. Louis, USA)
J. A. Cholick (Brookings, USA)
T. S. Cox (Manhattan, USA)
J. Crossa (Mexico City, Mexico)
T. Debener (Köln, FRG)
M. Dentine (Madison, USA)
J. F. Doebley (St. Paul, USA)
E. D. Earle (Ithaca, USA)
R. L. Fernando (Urbana, USA)
B. Foroughi-Wehr (Grünbach, FRG)
P. A. Fryxell (College Station, TX, USA)
T. Garland (Madison, USA)
J. S. Gavora (Guelph, Canada)
C. Gebhardt (Köln, FRG)
D. V. Glover (Lafayette, USA)
E. B. Godshalk (Ames, USA)
A. Graner (Grünbach, FRG)
R. Greder (Princeton, USA)
P. Gresshoff (Knoxville, USA)
C. U. Hesemann (Stuttgart, FRG)
J. Heslop-Harrison (Cambridge, UK)
I. Hoeschele (Blacksburg, USA)
G. R. Johnson (Thomasboro, USA)
B. Kinghorn (Armidale, Australia)
G. Kobabe (Göttingen, FRG)
I. Komarnitsky (Kiev, USSR)
S. Kushnir (Kiev, USSR)
R. J. Lambert (Urbana, USA)
M. Lee (Ames, USA)
H. Lörz (Hamburg, FRG)
E. Lupotto (Bergamo, Italy)
I. L. Mao (East Lansing, USA)
H. L. Marks (Athens, USA)
A. Melchinger (Ames, USA)
C. Möllers (Grünbach, FRG)
M. Motto (Bergamo, Italy)
V. Negruk (Moscow, USSR)
S. Newman (Adelaide, Australia)
M. K. Nielsen (Lincoln, USA)
A. Oaks (Guelph, Canada)
S. Openshaw (St. Paul, USA)
P. A. Parsons (Adelaide, Australia)
N. Pogna (Milan, Italy)
J. C. Polacco (Columbia, USA)
N. Polans (Urbana, USA)
R. W. Ponzoni (Adelaide, Australia)
H. S. Pooni (Birmingham, UK)
D. R. Pring (Gainesville, USA)
C. M. Rick (Davis, USA)
R. D. Thompson (Köln, FRG)
R. N. Saghai (Virginia, USA)
B. Scheffler (Cambridge, UK)
P. Schulze-Lefert (Köln, FRG)
D. V. Shaw (Davis, USA)
R. Shoemaker (Ames, USA)
V. Sidorov (Kiev, USSR)
O. S. Smith (Johnston, USA)
M. E. Sorrells (Ithaca, USA)
J. E. Staub (Madison, USA)
P. Y. Tai (Belle Glade, USA)
B. Tier (Armidale, Australia)
W. F. Tracy (Madison, USA)
H. Uhrig (Köln, FRG)
B. Urson (Temple, USA)
M. J. Wade (Chicago, USA)
J. G. Waines (Riverside, USA)
H. Walther (Grünbach, FRG)
T. C. Wehner (Raleigh, USA)
B. S. Weir (Raleigh, USA)
J. I. Weller (Bet Dagan, Israel)
G. Wricke (Hannover, FRG)
S. Züchner (Grünbach, FRG)

as well as the assistance of Mrs. Kathy Seaman at the editorial office